

Consumerisation – what does it mean to a developer?

5883

Chris Swan

@cpswan

Why me?

Agenda

- Strategy
- Consumerisation
- Users
- Containers
- Frameworks
- Desktop
- Wrap up

Strategy

Tactical
Choices
= When

Purchasing
Decisions
= Who

Operational
Details
= How

Implementation
Details
= What

Why?

- To give people what they want
 - Why do they want these things?
 - Travel weight
 - Endurance
 - Collaborative experience
 - Cool factor
 - Don't let this be dismissed as 'executive jewellery'

Consumerisation

Gmail™
by Google™

twitter



facebook®



Enterprise doesn't choose stuff

People do

Some of those people work for
Enterprise

Users


Who are the users?






Don't let things get too complex
(and try not to let Conway's law take hold)






User profiles

| | | | |
|------|---|--|--|
| Type |  Client |  Internal user (standard assurance) |  Internal user (high assurance) |
|------|---|--|--|




Users vs things you care about

| Type |  Client |  Internal user (standard assurance) |  Internal user (high assurance) |
|--------------------------|---|--|--|
| Controls | | | |
| Ownership | | | |
| Application distribution | | | |
| Authentication | | | |




How - Controls

| Type |  Client |  Internal user (standard assurance) |  Internal user (high assurance) |
|--------------------------|---|--|--|
| Controls | Mobile application management (MAM) | | Mobile Device Management (MDM) |
| Ownership | Individual | | Enterprise |
| Application distribution | Public app store | Public app store & Enterprise app store | Public app store (limited by policy) & Enterprise app store |
| Authentication | LOA2 – password LOA3 – OTP / sPKI LOA4 – AccessCard | LOA2 – password LOA3 – OTP / sPKI / Biometric | LOA2 – password LOA3 – OTP / sPKI / Biometric LOA4 – AccessCard / hPKI |




Who - Ownership

| | | | |
|--------------------------|---|--|--|
| Type |  Client |  Internal user (standard assurance) |  Internal user (high assurance) |
| Controls | Mobile application management (MAM) | | Mobile Device Management (MDM) |
| Ownership | Individual | | Enterprise |
| Application distribution | Public app store | Public app store & Enterprise app store | Public app store (limited by policy) & Enterprise app store |
| Authentication | LOA2 – password LOA3 – OTP / sPKI LOA4 – AccessCard | LOA2 – password LOA3 – OTP / sPKI / Biometric | LOA2 – password LOA3 – OTP / sPKI / Biometric LOA4 – AccessCard / hPKI |

What – Application Distribution


| | | | |
|--------------------------|---|--|--|
| Type |  Client |  Internal user (standard assurance) |  Internal user (high assurance) |
| Controls | Mobile application management (MAM) | | Mobile Device Management (MDM) |
| Ownership | Individual | | Enterprise |
| Application distribution | Public app store | Public app store & Enterprise app store | Public app store (limited by policy) & Enterprise app store |
| Authentication | LOA2 – password LOA3 – OTP / sPKI LOA4 – AccessCard | LOA2 – password LOA3 – OTP / sPKI / Biometric | LOA2 – password LOA3 – OTP / sPKI / Biometric LOA4 – AccessCard / hPKI |

Etc.

| | | | |
|--------------------------|---|--|--|
| Type |  Client |  Internal user (standard assurance) |  Internal user (high assurance) |
| Controls | Mobile application management (MAM) | | Mobile Device Management (MDM) |
| Ownership | Individual | | Enterprise |
| Application distribution | Public app store | Public app store & Enterprise app store | Public app store (limited by policy) & Enterprise app store |
| Authentication | LOA2 – password LOA3 – OTP / sPKI LOA4 – AccessCard | LOA2 – password LOA3 – OTP / sPKI / Biometric | LOA2 – password LOA3 – OTP / sPKI / Biometric LOA4 – AccessCard / hPKI |

Containers


Frameworks and Containers - Overview



Why have a container?

Everything else

Everything else



Everything else

Everything else

Everything else

Containers enforce policy

Stuff you care about

Container

- Authentication
- Encryption
 - Key management
- Network connectivity
- Jailbreak detection
- Remote wipe
- Etc.

Mobile device management (MDM)

- The device is the container



- This is how things have worked in the Enterprise PC world for many years. So many people are comfortable with the model.

Mobile application management (MAM)

- The application is the container




- This is relatively new, and hence a little scary.


MDM and MAM aren't mutually exclusive




MAM can be multi tenant






And diverse



And connected




MAM vs MDM

| Type |  Client |  Internal user (standard assurance) |  Internal user (high assurance) |
|--------------------------|---|--|--|
| Controls | Mobile application management (MAM) | | Mobile Device Management (MDM) |
| Ownership | Individual | | Enterprise |
| Application distribution | Public app store | Public app store & Enterprise app store | Public app store (limited by policy) & Enterprise app store |
| Authentication | LOA2 – password LOA3 – OTP / sPKI LOA4 – AccessCard | LOA2 – password LOA3 – OTP / sPKI / Biometric | LOA2 – password LOA3 – OTP / sPKI / Biometric LOA4 – AccessCard / hPKI |

Frameworks

Frameworks and Containers – Overview (Redux)



Framework characteristics

| | Web | Hybrid | Native |
|--|--------------|----------------------------|--------------------------------------|
| Cross platform | Yes | Yes | No |
| Local state (offline capable) | Limited | Yes | Yes |
| Access camera, GPS & accelerometers | No | Yes | Yes |
| Dev tools | HTML5/CSS/JS | Mostly HTML5/CSS/JS [1] | Various (Java, Objective C, etc.) |
| 'Shiny'[2] | Good | Better | Best |
| Performance | OK | OK | Optimal |

[1] NB Hybrid development still requires platform specific development effort for each platform targeted, and should not be considered an easy/default option

[2] 'Shiny' is used to describe the look and feel of applications relative to embedded or exemplar applications on a given platform

Can HTML5 ever be enough?

The YES camp



The NO camp

The Facebook logo, consisting of the word "facebook" in a white, lowercase, sans-serif font, set against a solid blue rectangular background.



Can HTML5 ever be enough?

The don't seem to care camp




This is not a hybrid strategy



There is another way



Frameworks and Containers – full Picture



Desktop

IE sucks!

- Or at least the versions that most banks and other (large) financial services companies have on their desktop.
- This does not encourage an HTML5 everywhere approach.

A Chromebook diversion

- HTML5 mostly
- NaCl takes up the slack
 - SSH
 - RDP
 - Games?
- Seems like a toy?






Chromium to the rescue



Wrap up


Users' why drives the who, what, how and when

| | | | |
|--------------------------|---|--|--|
| Type |  Client |  Internal user (standard assurance) |  Internal user (high assurance) |
| Controls | Mobile application management (MAM) | | Mobile Device Management (MDM) |
| Ownership | Individual | | Enterprise |
| Application distribution | Public app store | Public app store & Enterprise app store | Public app store (limited by policy) & Enterprise app store |
| Authentication | LOA2 – password LOA3 – OTP / sPKI LOA4 – AccessCard | LOA2 – password LOA3 – OTP / sPKI / Biometric | LOA2 – password LOA3 – OTP / sPKI / Biometric LOA4 – AccessCard / hPKI |

Use a container to enforce policy

Everything else

Everything else




Everything else

Everything else

Everything else

Choose frameworks to suit use cases



The jury is still out

HTML



Thanks for listening

Are there any questions?

