

Please evaluate
my talk via the
mobile app!

Using
BladeRunnerJS
to build Front-end
JavaScript Apps that Scale

QCon London 2014

Phil @leggetter
phil@leggetter.co.uk
Caplin Systems

BladeRunnerJS

@BladeRunnerJS

Overview

- **What is a Large Scale front-end App?**
- **What are the signs of scaling?**
- **What are the solutions? (with demos)**



**What is a large-scale
JavaScript app?**

In my view, large-scale JavaScript apps are non-trivial applications requiring significant developer effort to maintain, where most heavy lifting of data manipulation and display falls to the browser.

–Addy Osmani, Patterns For Large-Scale JavaScript Application Architecture

**Great. More detail
please!**

Large Codebase

More functionality === More code

Caplin Trader

- SDK:
 - ~1,000 JavaScript files
 - ~131,000 LoC
 - ~131 lines per file
 - ~650 test files
 - ~95,000 test LoC
- Getting Started Apps:
 - ~425 JavaScript files
 - ~50,000 LoC
 - ~117 lines per file
 - ~200 test files
 - ~21,000 test LoC



Complexity



My Tiles

Other Tile Set

Other Tile Set

N. Europe

Europe

Asia



EURUSD +

USDDKK SP FW SW ✕

USD - enter amount GFA 8.888M RFS OOR

SELL USD 5.71 SPOT 20/12/12 SPOT 5.72 SPOT

65₅ 40₅ 18₀

BUY USD 5.72 SPOT 20/12/12 SPOT 5.71 SPOT

25₅ 08₀ 18₅

5.71 -2.5 27/12/12 1W GFA 8.888M

5.71 -4.75 03/01/13 2W GFA 8.888M

5.70 -11.25 24/01/13 1M GFA 8.888M

5.68 -26.25 21/02/13 2M GFA 8.888M

5.66 -51.0 21/03/13 3M GFA 8.888M

5.58 -134 20/06/13 3M GFA 8.888M

5.48 -230 19/09/13 6M GFA 8.888M

53₀ 80₅ 55₅ 25₅ 65₅

23₀ 60₅ 35₅ 85₅ 25₅

USDCHF SP FW SW ✕

SELL USD 0.96

45₇

BUY USD 0.96

65₀

USD - 5M GFA 8.888M RFS

20/12/2012 (SPOT) ORDER

GBPUSD SP FW SW ✕

SELL GBP 1.56

30₆

BUY GBP 1.56

32₈

You are about to buy 5M GBP and sell 7,816,400 USD at 1.56328 for settlement on 20/12/2012

EURJPY SP FW SW ✕

SELL EUR 108.

63₅

BUY EUR 108.

85₂

EUR - enter amount GFA 8.888M RFS

20/12/2012 (SPOT) ORDER

SELL EUR 108. SPOT 108. SPOT

63₅ 63₅ 63₅

BUY EUR 108. SPOT 108. SPOT

85₂ 85₂ 85₂

USDMUR

USD - enter amount

SELL USD 5.71 SPOT 20/12/12 SPOT 5.71 SPOT

65₅ 35₅ 15₅

27/12/12 03/01/13

EURUSD

SELL EUR 1.24

87₄

EUR - enter amount

20/12/2012 (SPOT)

New Tile Set

Open Tile Set

Save Tile Set As...

1 Click Trading

Standard Trading

Close All Tiles

CCY Pair	Bid	Ask	Sparkline
EURRUB	▲ 29.3423	▼ 29.3643	
EURRUB	29.3423	▲ 29.3643	
EURRUB	29.3423	29.3643	
EURRUB	▲ 29.3423	▼ 29.3643	
EURRUB	29.3423	▲ 29.3643	
EURRUB	29.3423	29.3643	

Other Watchlist

My Watchlist

CCY Pair	Bid	Ask	Sparkline
✕ EURRUB	▲ 29.3423	▼ 29.3643	
✕ EURRUB	29.3423	▲ 29.3643	
✕ EURRUB	29.3423	29.3643	
✕ EURRUB	▲ 29.3423	▼ 29.3643	
✕ EURRUB	29.3423	▲ 29.3643	
✕ EURRUB	29.3423	29.3643	

News

Other Tile Set

Top Stories

Barclays to shut wealth management services in 130 countries Reuters

Loans to eurozone businesses 'drop sharply' Reuters

As rupee hits hard times, India cajoles and woos offshore currency players Reuters

Japan shares rally, U.S. budget fuels caution elsewhere Reuters



Foreign Exchange

FX Research FX Options Fixed Income FI Analysis Equities New Layout

Trade Panel

Add Currency Pair:

EURUSD

SELL EUR 1.3722⁰ BUY EUR 1.3744⁰

500,000 EUR EUR USD

GFA 30M EUR 05/03/2014 (SPOT)

USDJPY

SELL USD 101.40⁹ BUY USD 101.43¹

500,000 USD USD JPY

GFA 30M USD 05/03/2014 (SPOT)

GBPUSD

SELL GBP 1.6648⁰ BUY GBP 1.6670⁰

500,000 GBP GBP USD

GFA 30M GBP 05/03/2014 (SPOT)

GBPUSD Outrights

SELL 1.6648 ⁰	0	SPOT	0	BUY 1.6670 ⁰
SELL 1.6648 ⁰	17	5D	17	BUY 1.6670 ⁰
SELL 1.6673 ⁰	25	1W	25	BUY 1.6695 ⁰
SELL 1.6681 ³	33	2W	33	BUY 1.6703 ³
SELL 1.6689 ⁶	42	3W	42	BUY 1.6711 ⁷
SELL 1.6706 ³	58	1M	58	BUY 1.6728 ³
SELL 1.6714 ⁶	67	2M	67	BUY 1.6736 ⁷
SELL 1.6722 ⁹	75	3M	75	BUY 1.6745 ⁰
SELL 1.6731 ²	83	4M	83	BUY 1.6753 ⁴
SELL 1.6739 ⁶	92	5M	92	BUY 1.6761 ⁷
SELL 1.6747 ⁹	100	6M	100	BUY 1.6770 ⁰
SELL 1.6756 ²	108	7M	108	BUY 1.6778 ⁴
SELL 1.6764 ⁵	117	8M	117	BUY 1.6786 ⁷
SELL 1.6772 ⁹	125	9M	125	BUY 1.6795 ⁰
SELL 1.6648 ⁰	133	10M	133	BUY 1.6670 ⁰
SELL 1.6789 ⁵	142	11M	142	BUY 1.6811 ⁷

Major | GB | Emerging | Depth

Currency	Bid	Ask
EURUSD	▲ 1.37220	▼ 1.37440
USDJPY	▲ 101.409	▼ 101.431
GBPUSD	▲ 1.66480	▼ 1.66700
USDCHF	▼ 0.88190	▲ 0.88440
AUDUSD	▼ 0.89150	▲ 0.89400
USDCAD	▲ 1.10700	▼ 1.10930
NZDUSD	▼ 0.83500	▲ 0.83770
EURJPY	▲ 139.152	▼ 139.407
EURGBP	▲ 0.82127	▼ 0.82744

Europe | SE Asia | S Asia | Metals | OPEC

Currency	Bid	Ask
EURUSD	▲ 1.37220	▼ 1.37440
GBPUSD	▲ 1.66480	▼ 1.66700
GBPEUR	▼ 1.2094	▼ 1.2169
EURCHF	▲ 1.20914	▼ 1.21624
EURNOK	▲ 8.2955	▼ 8.3179
EURSEK	▲ 8.8853	▼ 8.9068
EURDKK	▲ 7.4541	▼ 7.4715

GBPUSD Liquidity

SELL 1.6648 ⁰	1,000,000	BUY 1.6670 ⁰
SELL 1.6647 ⁰	10,000,000	BUY 1.6671 ⁰
SELL 1.6646 ⁰	30,000,000	BUY 1.6672 ⁰

FX Blotter | FX Order Blotter | FX Position Blotter





Trade ID	Currency	Dealt Curr	Status	B/S	Amount	Rate	S/D	T/D	Account	Time	Submitted For
No trade data available											

No trade data available

This blotter will show your trades as you place them.

Gmail & Caplin Trader

- Large Single Page Apps (SPAs)
- Complex functionality
- Complex interactions
 - User
 - Technology
- Leave open all day



Contributors

The Human Factor

Who contributes to an app?

- Front-end devs
- Back-end devs
- Designers
- QA
- Infrastructure and release engineers
- Technical authors

People who are part of...

- Large teams
- Multiple teams
- Teams spread across an organisation
- Teams spread across multiple organisations


So, how do you ensure an application is maintainable?

1. structure a massive codebase (js, css, html, i18n, images, config etc.)
2. an architecture for complex functionality and interaction (UI and other components)
3. make sure that all contributors can work in harmony
4. development must be a productive experience
5. ensure all these compliment each other

Seven signs of scaling




Dev Setup takes forever



Development App Server


My App won't load!

- Run full application
- All back-end components running
- Lots of moving parts



My App isn't working!

- Other contributors breaking functionality
- Code accessed and modified from elsewhere
- Dependency Analysis and out of order file concatenation



The screenshot shows a browser's developer console with the following content:

```
<top frame> <page context>  
Not updating sidebar: no change of lookup.  
Storing data for /contacts/email/contact%40zapier.com in the response cache  
Sidebar element already exists...  
✖ Failed to load resource: the server responded with a status of 401 (Unauthorized)  
✖ Failed to load resource: the server responded with a status of 401 (Unauthorized)  
Detected active view type: tl  
no people widget container found  
Didn't find people widget  
No gmail contextual links found.  
✖ Failed to load resource: net::ERR_NETWORK_CHANGED  
https://talkgadget.google.com/u/0/talkgadget/_/c  
✖ Failed to load resource: the server responded with a status of 400 (Unknown SID)  
https://talkgadget.google.com/u/0/talkgadget/_/c  
Detected active view type: cv  
Couldn't find email subject!
```

Finding assets is hard

```
caplintrader
├── acceptance-tests
├── build
├── caplinx
│   ├── H8n
│   └── src
│       ├── caplinx
│       │   ├── chart
│       │   ├── chat
│       │   ├── component
│       │   ├── composite
│       │   └── element
│       │       ├── formatter
│       │       ├── handler
│       │       └── styler
│       ├── fields
│       ├── grid
│       ├── historicdata
│       ├── integration
│       └── latency
│           ├── LatencyGenerator.js #0/4 -dext-
│           ├── LatencyListener.js #0/1 -dext-
│           ├── LatencySubscriber.js #0/4 -dext-
│           └── StatusBarLatencyDisplay.js #0/3 -dext-
│
│   ├── permissioning
│   ├── portfolio
│   ├── renderer
│   ├── tbo
│   └── trading
│       ├── fi
│       │   ├── bonds
│       │   │   ├── builders
│       │   │   ├── presentation
│       │   │   └── viewconfig
│       │   │       ├── BondsPricingModel.js #0/1 -dext-
│       │   │       ├── BondsSubjectMapper.js #0/2 -dext-
│       │   │       ├── BondsTrade.js #0/3 -dext-
│       │   │       └── BondsTradeLeg.js #0/1 -dext-
│       │
│       │   ├── fx
│       │   └── presentation
│       │       ├── listeners
│       │       └── tile
│       │           ├── FxTile.js #0/20 -dext-
│       │           ├── FxTileController.js #0/8 -dext-
│       │           ├── FxTileCurrencyPairChooser.js #0/9 -dext-
│       │           ├── FxTilePriceButton.js #0/2 -dext-
│       │           ├── FxTileRenderer.js #0/7 -dext-
│       │           ├── FxTileStatus.js #0/1 -dext-
│       │           ├── FxTileViewHeader.js #0/7 -dext-
│       │           ├── PermissionModel.js #0/1 -dext-
│       │           ├── FxTradeTicket.js #0/38 -dext-
│       │           └── FxTradeTicketController.js #0/3 -dext-
│       │
│       │   ├── trademodel
│       │   │   └── ObjectMapper.js #0/1 -dext-
│       │
│       │   ├── utilities
│       │   └── widget
│       │       ├── CaplinFactory.js #0/47 -dext-
│       │       └── caplinx-resources.xml #0/23 -dext-
│
│   ├── test-unit
│   ├── WEB-INF
│   │   ├── build.xml #0/37 -dext-
│   │   └── pom.xml #0/36 -dext-
│
│   ├── conf
│   │   ├── certs
│   │   ├── hibernate
│   │   ├── keymaster
│   │   └── sl4b
│   ├── demo
│   ├── lib
│   └── webapp
│       ├── build.xml #0/151 -dext-
│       ├── pom.xml #0/76 -dext-
│       ├── README-creating-your-axqua-restart-ant-target.txt #0/2 -dext-
│       ├── README-database-configuration.txt #0/2 -dext-
│       ├── README-fmt.txt #0/24 -dext-
│       ├── README-generating-self-signed-certificates.txt #0/5 -dext-
│       ├── README-to-baseline-your-trading-application.txt #0/21 -dext-
│       ├── README-upgrading-your-baselined-application.txt #0/3 -dext-
│       ├── trader.bat #0/11 -dext-
│       ├── trader.properties #0/43 -dext-
│       ├── trader.sh #0/1 -dext-
│       └── user.properties #0/3 -dext-
│
│   ├── conf
│   ├── docs
│   └── libraries
│       ├── alerts
│       └── src
│           ├── caplin
│           └── alerts
```

What does this code do?

- Inconsistent coding style
- Inconsistent code structure
- Side effects through unexpected overrides

```
var MyObjDefinition = {
  property: 'thing',
  method: function() {
    return 'hello';
  }
};

var myInstance = Object.create( MyObjDefinition );

function MyObjDefinition() {
  this.property = 'thing';
  this.method = function() {
    return 'hello';
  }
}

var myInstance = new MyObjDefinition();

function myObjDefinition() {
  this.property = 'thing';
}
myObjDefinition.prototype.method = function() {
  return 'hello';
};
```


Have the tests finished yet?

- Having to run all the tests
- UI-based tests
- Continuous Integration...taking 8 hours!
- **Bonus: Are these tests reliable?**

Scaling Solutions


The background of the image is a detailed astronomical photograph of a nebula. It features a complex structure of glowing gas clouds in various colors, including deep reds, oranges, and blues, set against a dark, star-filled sky. The text 'Scaling Solutions' is centered over this background in a large, white, sans-serif font.

Goals


- Streamlined developer workflow
- Consistency
- Focus on building a single feature (in isolation)
- Scalable loosely-coupled application architecture
- Quality at its core (maintainability)

Developer Workflow

Setup



Develop



Deploy



**Building a single
feature in isolation**



Blades

Mail

COMPOSE

- Inbox (3)
- Starred
- Important
- Sent Mail
- Drafts (3)
- All Mail
- Spam (12)
- [Imap]/Drafts
- [Imap]/Sent
- [Imap]/Trash (13)
- Accounts
- BeeFound
- Company Informati...
- Contractor Sourci...
- Deleted Items (18)
- Domains
- Expenses
- GetGravatar (23)
- HMRC

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Gmail Team	Welcome to the new Gmail inbox - Hi Philip Meet the new inbox Inbox tabs put you back in control with simple c	5:38 pm
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ProjectLocker	[ProjectLocker] Faster Access with	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	e-Documents	New eDocument arrived - Please ac	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Adam Todd	Newly Business Information - Hi M	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	service, me (2)	Receipt for your PayPal payment b	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Microsoft BizSpark	Call for Startup videos, where dev	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	e-Documents	New eDocument arrived - Please ac	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Adam Todd	Business Leads - Hi, We are a leadi	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	FollowUp	Your email account, phil@pusher.	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Expensify	[Expensify] Please approve expens	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Pooja	New Business Enquiry - Hi Phil, b	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Joe Benjamin	Your Invitation to the 2013 New En	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	e-Documents	New eDocument arrived - Please ac	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Boomerang for Gmail	Grab your Capes! Boomerang for	

New Message _ ↗ ✕

To Cc Bcc

Subject

Send | | | + | | ▾



My Tiles Other Tile Set Other Tile Set

N. Europe Europe Asia

EURUSD

USD DKK

SP FW SW

SELL USD 65₅ 20/12/12 SPOT 5.71 -2.5 40₅ 27/12/12 1W 5.72 -1.75 08₀ 03/01/13 2W 5.71 -4.25 18₅

BUY USD 25₅ 5.72 SPOT 5.71 -1.75 08₀ 24/01/13 1M 5.71 -10.25 23₀ 21/02/13 2M 5.69 -26.25 60₅ 21/03/13 3M 5.67 -49.0 35₅ 20/05/13 5M 5.59 -124 85₅ 18/09/13 6M 5.51 -210 25₅

USD CHF

SP FW SW

SELL USD 0.96 45₇

BUY USD 0.96 65₀

USD 5M GFA 8.888M RFS

20/12/2012 (SPOT) ORDER

EUR JPY

SP FW SW

SELL EUR 108. 63₅

BUY EUR 108. 85₂

EUR enter amount GFA 8.888M RFS

20/12/2012 (SPOT) ORDER

SELL EUR 108. SPOT 63₅ enter amount 108. SPOT 85₂

BUY EUR 108. SPOT 85₂ enter amount 108. SPOT 85₂

USD MUR

SP FW SW

SELL USD 65₅ 20/12/12 SPOT 5.71 -2.5 40₅ 27/12/12 1W 5.72 -1.75 08₀ 03/01/13 2W 5.71 -4.25 18₅

BUY USD 25₅ 5.72 SPOT 5.71 -1.75 08₀ 24/01/13 1M 5.71 -10.25 23₀ 21/02/13 2M 5.69 -26.25 60₅ 21/03/13 3M 5.67 -49.0 35₅ 20/05/13 5M 5.59 -124 85₅ 18/09/13 6M 5.51 -210 25₅

EUR USD

SP FW SW

SELL EUR 1.24 87₄

BUY EUR 1.24 87₄

EUR enter amount GFA 8.888M RFS

20/12/2012 (SPOT) ORDER

New Tile Set

Open Tile Set

Save Tile Set As...

1 Click Trading

Standard Trading

Close All Tiles

CCY Pair	Bid	Ask	Sparkline
EURRUB	▲ 29.3423	▼ 29.3643	
EURRUB	29.3423	▲ 29.3643	
EURRUB	29.3423	29.3643	
EURRUB	▲ 29.3423	▼ 29.3643	
EURRUB	29.3423	▲ 29.3643	
EURRUB	29.3423	29.3643	

News Other Tile Set

Top Stories

Barclays to shut wealth management services in 130 countries Reuters

Loans to eurozone businesses 'drop sharply' Reuters

As rupee hits hard times, India cajoles and woos offshore currency players Reuters

Japan shares rally, U.S. budget fuels caution elsewhere Reuters

EURUSD Other Tile Set Other Tile Set



Other Watchlist My Watchlist

EURUSD

CCY Pair	Bid	Ask	Sparkline
✕ EURRUB	▲ 29.3423	▼ 29.3643	
✕ EURRUB	29.3423	▲ 29.3643	
✕ EURRUB	29.3423	29.3643	
✕ EURRUB	▲ 29.3423	▼ 29.3643	
✕ EURRUB	29.3423	▲ 29.3643	
✕ EURRUB	29.3423	29.3643	

Activity Blotter Historic Blotter Orders Positions

Blade Demo

todos

A screenshot of a todo list application. The interface is enclosed in a red rounded rectangle. At the top, there is a dark grey header bar. Below it, the list contains three items: a collapsed item with a double chevron icon and the text "What needs to be done?", a completed item with a checkmark icon and the text "Demo at QCon", and another completed item with a checkmark icon and the text "Prepare for QCon". A horizontal dotted line separates the completed items from the collapsed item. At the bottom, a light grey footer bar contains the text "2 items left" on the left and a button labeled "Clear completed (0)" on the right.


- ⌵ *What needs to be done?*
- ✓ Demo at QCon
- ✓ Prepare for QCon

2 items left Clear completed (0)

Double-click to edit a todo


Created by [The BladeRunnerJS team](#)

Part of [TodoMVC](#)



Goals

- ✓ • Streamlined developer workflow
- ✓ • Consistency
- ✓ • Focus on building a single feature (in isolation)
- Scalable loosely-coupled application architecture
- Quality at its core (maintainability)

A close-up photograph of a large pile of colorful wooden blocks. The blocks are in various colors: red, blue, yellow, green, and natural wood. They are scattered and overlapping, creating a vibrant, textured background. The lighting is bright, highlighting the smooth surfaces and sharp edges of the blocks.

Application Architecture


Requires an Architecture that...


- Allows complex interactions
- Allows components to be changed without side effects
 - At launch and during runtime
- Is easily extended
- Is easily tested
- Is easily maintained



Blades (again)

MVVM





Services

What is a service?

- Use services to access shared resources
 - Persistence Service
 - RESTful Service
 - Realtime Service
- Services registered and accessed via a ***ServiceRegistry***
 - Dynamic Service Locator¹

¹ <http://martinfowler.com/articles/injection.html#ADynamicServiceLocator>

Why use services?

- Single shared instance for accessing resources
- Functionality encapsulated behind an interface
- Loose-coupled communication
- Dependencies can be injected for different scenarios:
 - App
 - Workbench
 - Test

Services Demo

Chrome File Edit View History Bookmarks Window Users Help

localhost:7070/brjstodo/

todos

- Another item?
- ✓ Fake todo 1
- ✓ Fake todo 2

Elements Network Sources Timeline Profiles Resources »

<top frame> <page context>

event.returnValue is deprecated. Please use the standard event.preventDefault() instead. bundle.js:5

Another item? InputViewModel.js:16

Goals

- ✓ • Streamlined developer workflow
- ✓ • Consistency
- ✓ • Focus on building a single feature (in isolation)
- ✓ • Scalable loosely-coupled application architecture
- Quality at its core (maintainability)

A high-angle, close-up photograph of a lush green rice field. The rice stalks are densely packed and appear to be swaying slightly, creating a textured, repetitive pattern of green. The color is a vibrant, slightly yellowish-green, suggesting the rice is in its peak growing stage. In the center of the image, the word "Quality" is written in a large, bold, white sans-serif font, standing out prominently against the green background.

Quality

localhost:7070/brjstodo/todo-bladeset/blades/input/workbench/

EventHub Logging

Clear Log

11:34:08: Triggered: "DeadEvent" on "todo-list" with data {"event":"todo-added","data":{"title":"Hello again QCon!"}}

11:34:08: Subscribed: "todo-list"

todos

Hello World

Visualise Presentation Model

Find

Knockout View Model

- todoText:"Hello World"

Manually test in the workbench as part of iterative development cycle

Simple Wins

- Consistency
 - Architecture
 - Coding style and structure
- Loose coupling: MVVM, Services & Interfaces
 - Facilitates testing
 - Can easily swap out implementations
- MVVM: Avoid testing the DOM


Test Demo

todos

- What needs to be done?*
- Fake todo 1
- Fake todo 2
- Demo event hub working!
- Be pleased!

Biggest Win

- Testing features in isolation
- Change view model and assert against mocked Service
- Inject mock service, make calls and assert View Model



**Manual
Tests**

Application End-to-End Tests

Tests driven by something like Selenium against the full in-browser client with all back-end services running.

Blade Functional Tests


Tests against a vertical slice of front-end application functionality via assertions against the View Model (MVVM) state and interactions with mocked service interfaces.

Unit Tests

Need Proof?

Our full suite Caplin Trader testing time went from

>8 Hours



< 30 minutes

Goals

- ✓ • Streamlined developer workflow
- ✓ • Consistency
- ✓ • Focus on building a single feature (in isolation)
- ✓ • Scalable loosely-coupled application architecture
- ✓ • Quality at its core (maintainability)

Summary

- **BladeRunnerJS toolkit:** Streamline developer workflow
- **Blades:** Build features in isolation (grouping assets together)
- **Services:** loose coupled communication e.g. EventHub
- **Quality:** Test *units* (classes), *features* (ViewModel < - > Service) & keep DOM testing to a minimum.

BRJS at QCon

- **BladeRunnerJS (BRJS) is a new open source**
- **v0.4 released today (used in demos)**
- **We're on 5th floor, Booth 28 (next to Google)**
- **Come have a chat, even just about the concepts**

Phil @leggetter
phil@leggetter.co.uk
Caplin Systems

BladeRunnerJS

@BladeRunnerJS
bladerunnerjs.org

Please evaluate
my talk via the
mobile app!