


Cluster management at Google

2015-02


john wilkes / johnwilkes@google.com Principal Software Engineer






```
> borgcfg .../hello_world_webserver.borg up
...
About to affect 10000 tasks and 1 packages on cell IC.
Do you wish to continue (yes/no) [no]? yes
==== Staging package hello_world_webserver.63ce1b965155c75e/johnwilkes on ic... SUCCESS
==== Making package hello_world_webserver.63ce1b965155c75e/johnwilkes on ic... SUCCESS
==== Starting job hello_world on ic... SUCCESS
```






What just happened?









Failures

task-eviction rates and causes










Advanced binpacking algorithms


Experimental placement of production VM workload, July 2014





Advanced binpacking algorithms


There are no obvious bucket sizes (cf. cloud VMs)




Advanced binpacking algorithms

Heterogeneous workloads, May 2011

Omega paper, EuroSys 2013




Utilization: sharing clusters between prod/batch helps



Utilization:


sharing clusters between prod/batch helps




Advanced binpacking algorithms

Data from a cluster with 12k machines, May 2011

Trace is publicly available




Resource reclamation could be more aggressive



Nov/Dec 2013

Multiple applications per machine


CPI^2 paper, EuroSys 2013



Multiple applications per machine

CPI^2 paper, EuroSys 2013


- 1. Gather CPI for all the tasks in a job
- 2. Find outliers
- 3. Take action



Achieving desired behavior

Exposing mechanisms is fragile

Better: declarative intents




Achieving desired behavior


Service level objective (SLO)

Examples:


- availability
- obtainability
- reliability
- velocity
- freshness?
- accuracy?
- security?








































Containers

Everything at Google runs in a container -- including our VMs

Containers give us:

- resource isolation
- execution isolation
- CPU QoS


We start over 2 billion containers per week.



Kubernetes

κυβερνήτης: Greek for "pilot" or "helmsman of a ship"

The open source cluster manager from Google.



Manage a cluster of Linux containers as a single system to accelerate Dev and simplify Ops.

Kubernetes

Web server

Log roller

Container Agent

> Machine Host

Container Agent

> /lachine Host

Container Agent

Machine Host Container Agent

> Machine Host

Container Agent

> Machine Host

Container Agent

Machine Host Container Agent

> Machine Host



Pods

Web server **Kubernetes** master/scheduler Log roller

Container Agent

> Machine Host

Container Agent


> Machine Host

Machine Host Machine Host Machine Host Machine Host

Machine Host




Labels





Label selectors labels: role: frontend BE BE BE BE FE BE FE FΕ FE BE BE BE BE FE **Kubernetes master/scheduler** Machine Machine Host Host Host Host Host Host Host



Replica controller

FE

FE

FE

replicas: 3

template:

• •

labels:

role: frontend

Kubernetes - Master/Scheduler

Container Agent

Machine Host Container Agent

Machine Host Container Agent

> Machine Host

Container Agent

> Machine Host

Container Agent

Machine Host Containe Agent

Machine Host Container Agent

Machine Host



Replica controller

FE

FE

FE

FE

replicas: 4

template:

• (

labels:

role: frontend

Kubernetes - Master/Scheduler

Container Agent

> Machine Host

Container Agent

Machine Host Container Agent

> Machine Host

Container Agent

> Machine Host

Container Agent

Machine Host Containe Agent

Machine Host Container Agent

Machine Host



Service



id: frontend-service

port: 9000

labels:

role: frontend

Kubernetes - Master/SchedulerContainer
AgentContainer
AgentContainer
AgentContainer
AgentContainer
AgentContainer
AgentContainer
AgentMachiner
AgentMachine
HostMachine
HostMachine
HostMachine
HostMachine
HostMachine
HostMachine
HostMachine
HostMachine
HostMachine
Host




Kubernetes

The open source cluster manager from Google.


- Pods: groups of containers
- Labels
- Replica controller
- Services

http://kubernetes.io



Manage a cluster of Linux containers as a single system to accelerate Dev and simplify Ops.

Pulling it all together











Google Container Engine (Alpha)

Run Docker containers on Google Cloud Platform, powered by Kubernetes. Container Engine takes care of provisioning and maintaining the underlying virtual machine cluster, scaling your application, and operational logistics like logging, monitoring, and health management.

Start your free trial




Pulling it all together

We choose to go to the roof not because it is glamorous, but because it is <u>right there!</u>

... the bulk of our success is the result of the methodical, relentless, persistent pursuit of 1.3-2x opportunities -- what I have come to call "roofshots".

-- Luiz Barroso







Pulling it all together

Cloud system providers are getting better at everything ...

- capacity management
- monitoring
- storage + networking
- reliability
- software development tooling
- •

Wouldn't you like to stand on others' shoulders?




Three rules of thumb:

- 1. *Resiliency* is more important than performance.
- 2. Relax. Let go. *Build on* what others have done.
- 3. Do more monitoring.



http://kubernetes.io



Achieving desired behavior

Service level agreement (SLA)

SLA = SLOs + consequences of achieving or missing them

Example:

- if availability > 99.95% (SLO)
 user pays £xx/CPU-week
- else gets a 30% refund





